

## INDEX.

### A.

- Agricultural land, inundations of, 54.  
 Allapattah Flats, 12; drainage of, 13, 16.  
 Arcadia, Fla., 58.  
 Armstrong, Dr. L. K., lake-level observations, 58.  
 Atlantic coast, tide gauges and bench marks, 90-119.  
 Avon Park, Fla., 58.

### B.

- Bartow, Fla., 58.  
 Bench marks, 10, 90-119.  
 Berm specifications, 68.  
 Bibliography, 121.  
 Big Cypress Swamp, 9, 14.  
 Biscayne Bay, 13; tide gauge and bench marks, 91-92, 98-99, 101.  
 Biscayne Engineering Co., 7.  
 Briggs, Dr. Lyman J., 7; evaporation measurements, 37.

### C.

- Caloosa River, tide gauge and bench marks, 102.  
 Caloosahatchee River, 7; examination of, 8; navigation on, 67; report on improvement of, 57.  
 Canals to drain Everglades, 5, 11-14; additional canals, table, 15; between Miami and Detroit, table, 16; capacity needed, 53-56; commercial value, 66-67; contract provisions, 11; discharge from, tables, 43-49; enlargements north and south of proposed locks, tables, 15; estimate of cost, 14-17; permanence of, 63-65; provisions of proposed scheme, 12-14; purpose of existing system, 12; types suggested for controlling Lake Okeechobee, 56; value of, 7; values of "N" used in planning capacities of, 64-65. *See also* Cypress Creek Canal—Detroit Canal—Hillsboro Canal—Miami Canal—New York Barge Canal—North New River Canal—Okeechobee-St. Lucie Canal—Snake Creek Canal—Snapper Creek Canal—South New River Canal—Three-Mile Canal.  
 Capes. *See* names of capes.  
 Carter, E. Ben, 6.  
 Charlotte Harbor, tide gauge and bench marks, 93-94, 99-101.  
 Chatham River, 14.  
 Chokoloskee Bay, 9, 14.  
 Clermont, Fla., 58.

- Crowley, La., evaporation at, 38, 39.  
 Cypress Creek Canal, 12; drainage by, 13; now under construction, 11.

### D.

- Davis, E. P., 6, 10.  
 Detroit Canal, 9; private property, 13.  
 Drainage, establishment of stations, 46; progressive, 7-8, 57.  
 Drainage commissioners of State of Florida, board of, agreement with Isham Randolph, 8.  
 Drainage district, boundaries extended, 56; eastern boundary, 15; northeast portion, table, 16; northern limit, 56; northwest corner of, table, 16; Okeechobee-St. Lucie Canal to drain major portion, 12, 60; southern and western portions of, table, 16.  
 Drainage Investigations, Office of, hydrometric investigations in southern Louisiana, 49.  
 Drainage of Everglades, area between Lake Okeechobee and dredge *Everglades*, 49; capacity of system for, 53-56; Lake Okeechobee key to solution of, 5, 8; plans determined by amount of rainfall, 17; practicability of, 5; progressive drainage feasible, 7-8; stations established to determine, 46. *See also* Canals to drain Everglades.  
 Dredges, constant operation required, 63; dipper, best for excavating rock under water, 65; hydraulic, most economic, 65.

### E.

- Earl, George C., 7.  
 Elliot, F. C., 6.  
 Evaporation, 36-41; at Crowley, La., 38, 39; on Lake Okeechobee, 40-41; Salton Basin, Cal., 39; table, 38.  
 Everglades, overflows, 54, 55-56; porosity of soil compared with that in New Orleans, 52-53, 55; run-off in, 41-49, 52-56; soil cover, 52; State plan proposes to place burden of outlet sewer on property of, 57; storms, frequency of, 53-54; surveys of, 8-11. *See also* Drainage of Everglades.  
*Everglades*, dredge, 46, 49.  
 Everglades drainage district, board of commissioners, report made to, 5-77.  
 Everglades Engineering Commission. *See* Florida Everglades Engineering Commission.

Everglades Land Sales Co., 9.  
Excavation, methods of, 65-66; specifications, 68; water power for, 65-66.  
Experiment Stations Office, muck experiments, 62.

## F.

Fisheating Creek, 13, 57.  
Florida, cost of maintaining 3-foot navigation in Kissimmee River, 57-58; evaporation, 37-41; map, 11.  
Florida, Cape, tide gauge and bench marks, 98-99.  
Florida Coast Line Canal, bench marks, 10, 103.  
Florida East Coast Railroad, 9.  
Florida Everglades Engineering Commission, letter transmitting report, 4; list of maps and surveys used by, 89; report of, 5-77; to procure all data affecting Lake Okeechobee, 8.  
Florida Intracoastal Canal, bench marks, 103-119.  
Forts. *See* names of forts.

## G.

Galloway, Beverly T., 6  
Gasparilla Island, tide gauge and bench mark, 99.  
Gilbert Bar, Indian River, tide gauge and bench marks, 95.  
Glade Cross Mission, 14.

## H.

Hammer Key, 9.  
Harneys Point, tide gauge and bench marks, 100-101.  
Haze, Cape, tide gauge and bench mark, 100.  
Helm, V. W., 6.  
Hills, George B., survey of, 9.  
Hillsboro Canal, 8, 49; discharge from, 7, 40, 43, 61; discharge tables, 43-45; drainage capacity, 12, 13; enlargements north and south of proposed locks, tables, 15; measurement station established on, 43; now in process of construction, 7, 11.  
Hillsboro Inlet, tide gauge and bench marks, 90.  
Hillsboro River, tide gauge and bench marks, 90.  
Houston, Hon. David F., 6.  
Hydroelectric equipment, cost of, 65.  
Hydrometric investigations, 55; commission would investigate throughout high-water season, 42; in southern Louisiana, 49; need of provision for, 41; plan of, 43-49.

## I.

Improvement fund. *See* Trustees of internal improvement fund.  
Indian River, tide gauge and bench mark, 95.  
Ingraham, J. E., 6.

## J.

Jennings, W. S., 6.  
Jupiter Inlet, 9.  
Jupiter lighthouse, tide gauge and bench mark, 92-93.

## K.

Kackley, J. W., 6.  
Kipp, H. A., experiments on muck, 62.  
Kissimmee, Fla., 58.  
Kissimmee River, 13, 57; changed regimen of, 61-62; examination of, 8; greater slope necessary for drainage, 57; navigation on, 67; no suitable measurement section in, 43; overflows wide areas, 57; report on, 57; 3-foot navigation recommended for, 57-58.  
Kissimmee Valley, problem of draining lands in, 56-58; reclamation dependent upon lowering of Lake Okeechobee, 56.  
Krome, W. J., 6.  
Kutter formula. *See* Values of "N."

## L.

Lake levels, diagram of record of, 58-59; records made at Observation Island, 58; records modified for wind effect, 58.  
Lakes. *See* names of lakes.  
Leighton, M. O., 10, 77.  
Lemon Bay, tide gauge and bench marks, 96-97.  
Lock gates, specifications for, 72-74.  
Locks, foundations for, 68-69; provision for excess floods, 77; specifications, 68-69.  
Lossman River, 14.  
Louisiana, southern, hydrometric work by Office of Drainage Investigations, 49; rainfall in, 50-51; run-off in, 49-51.  
Loxahatchee Slough, 9.

## M.

McCrary, S. H., 6.  
McGonigle, Dr. J. N., 7.  
Malabar, Fla., 58.  
Maps, list of, 9, 89.  
Marshall, R. B., 6.  
Marvin, Prof. Charles, F., 7, 37.  
Materials, specifications for, 70-71, 74.  
Meade, Fort, 58.  
Megathlin, Capt. J. L., 6.  
Mexico, Gulf of, 9, 14; tide gauges and bench marks, 90-102.  
Miami Canal, 7, 8, 11, 12, 13, 14; discharge from, 40, 61; discharge tables, 46-48; enlargements south of proposed locks, table, 15; measurement station established on, 43; station for determining drainage, 46; table showing values of "N," 64; tide gauge and bench marks, 91-92, 96.

- Miami River, tide gauge and bench mark, 101.  
 Moore, J. A., southern survey, 9.  
 Muck, characteristics in Everglades, 42; comparison of that in Everglades with that in New Orleans, 52-53, 55; experiment of H. A. Kipp and F. F. Shafer, 62; on tract of New Orleans Land Co., 52; shrinkage of, 62-63; study of, 42.  
 Myers, Fla., 8; tide gauge and bench marks, 102.

## N.

- Navigation, 66-67.  
 New Basin Canal, 49.  
 New Orleans, La., porosity of soil compared with that of Everglades, 52-53, 55.  
 New Orleans Land Co., run-off on tract of, 49-50; soil cover on tract of, 52.  
 New York Barge Canal, cost of, 5.  
 Nine-mile Canal, discharge from, 61.  
 North New River Canal, 7, 8, 11, 12, 49, 58, 59; discharge from, 40, 61; discharge tables, 43-48; measurement station established on, 43; station for determining drainage, 46; table showing values of "N," 64.

## O.

- Observation Island, lake levels observed at, 58.  
 Office of Drainage Investigations. *See* Drainage Investigations, Office of.  
 Office of Experiment Stations. *See* Experiment Stations Office.  
 Okaloacoochee Slough, 14.  
 Okeechobee, Fla., rainfall records at, 58.  
 Okeechobee, Lake, 12, 13, 14, 15, 38, 39; capacity, 7; control of, 56-58; data affecting, 8; discharge from canals leading from, table, 43-45, 66; disposition of flood waters, 5; drainage area, 49; evaporation on, 40-41; influence on underground flow, 42; key to drainage solution, 8; location, 7; locks to relieve excess floods, 77; lowering of, 61; lowering necessary for reclamation of Kissimmee Valley, 56; maps, 10-11; necessity of determining amount of water contributed to, 43; rainfall on, 40-41, 59-61; record of rainfall in region tributary to, and levels of lake, diagram, 58-59; run-off from, 58-62; silting in, 53; storage diagram, 59; surveys of, 8-11; types of canals suggested for controlling, 56.  
 Okeechobee-St. Lucie Canal, 13; capacity of, 60-61; commercial value, 67; construction advocated, 65; cost of, 5-6, 15; factor used in planning capacity of, 64-65; purposes of, 5; specifications for dam, 69; will drain major portion of drainage district, 12.  
 Orlando, Fla., 58.

## P.

- Palm Beach Canal, discharge from, 61.  
 Peck, Lake, tide gauge and bench mark, 94-95.  
 Pecks Landing, tide gauge and bench marks, 94-95.  
 Perkins, Edmund T., 77.  
 Phinney, J. B., southern survey, 9.  
 Photographs, list of, 122-143.  
 Pierce, Fort, 58.  
 Pine Island, tide gauge and bench marks, 93-94.  
 Plans, specifications for, 69-70.  
 Pontchartrain, Lake, 49.  
 Porter, John L., 7; observations by, 52.  
 Power house, cost of, 65.  
 Precipitation. *See* Rainfall.  
 Profiles, 120.  
 Punta Rassa, Fla., tide gauge and bench marks, 97-98.

## R.

- Rainfall, amount in Everglades to determine plans for drainage, 17; at stations near Everglades, tables, 19-22; daily, tables, 23-31, 53; diagram of records on Lake Okeechobee, 58-59; establishment of stations, 17; in Everglades, 17-18; in southern Louisiana, 50-51; no long-term records available, 17; on Lake Okeechobee, 40-41, 59-61; record of, in region tributary to Lake Okeechobee and levels of lake, diagram, 58-59; relation to run-off in Everglades, 43; tables, 32-36, 50.  
 Randolph, Isham, 77; agreement with board of drainage commissioners, 8.  
 Ritta, Fla., 58, 59; evaporation at, with table, 38, 39.  
 Royal Palm Key, 14.  
 Run-off from Lake Okeechobee, 58-62.  
 Run-off in Everglades, 41-49, 52-56; characteristics to be determined, 41; commission can not guarantee correctness of findings, 42, 55; difficulties occasioned by lack of data relating to, 41-43; problems to overcome relative to, 43; relation of rainfall to, 43.  
 Run-off in southern Louisiana, 49-51.

## S.

- St. Lucie Canal. *See* Okeechobee-St. Lucie Canal.  
 St. Lucie inlet, recommended for harbor development, 67.  
 St. Lucie River, 8, 67; hydrographic chart, 10; tide gauge and bench marks, 96.  
 Salton Basin, Cal., evaporation in, 39.  
 Seminole Indian Reservation, 14.  
 Sewerage system, plan for, 57.  
 Shafer, F. F., experiments on muck, 62.  
 Slattery, Maj. J. R., 6; in charge of Florida waterways, 67.

- Smith, George Otis, 6.  
 Snake Creek Canal, enlargement necessary, 12; now under construction, 11.  
 Snapper Creek Canal, extension of, 13, 14; now under construction, 11.  
 South New River Canal, 7, 11, 12, 38; discharge from, tables, 43-48; extension of, 14; silting process, 63-64; station for determining drainage, 46; table showing values of "N," 64.  
 Specifications, 68-87.  
 Stewart, John T., 6; survey of, 9.  
 Storm precipitation. *See* Rainfall.  
 Storms, frequency of, 53-54.  
 Stump Pass, tide gauge and bench marks, 96-97.  
 Surveys, list of, used by engineering commission, 89.  
 Swamp lands, drainage means quicker run-off, 57.
- T.
- Tables, additional canals, 15; canals between Miami and Detroit, 16; discharge from canals, 43-48; enlargements, north and south of proposed locks, 15; evaporation, 38; rainfall, 19-31, 32-36, 50-51; run-off in southern Louisiana, 49-51; storm precipitation, 32-36; tide gauge and bench marks, 90-102; values of "N," 64.
- Taylor River, 14, 57.  
 Three-mile canal, 7, 59; discharge from, 40, 61; discharge tables, 43-45; measurement station established on, 43.  
 Tide gauges, 10, 90-102.  
 Tittmann, O. H., 6.  
 Tohopekaliga, Lake, water route from, 67.  
 Trustees of internal improvement fund, report made to, 5-77.  
 Turner River, 14.
- V.
- Values of "N," table, 64; used in planning of canal capacities, 64-65.
- W.
- Water power, cost of, 65, 66; creation of, 65-66.  
 Waterways, permanence of, 63-65.  
 Waveland post office, St. Lucie River, tide gauge and bench mark, 96.  
 West Palm Beach Canal, 12; contract for, 11.  
 White Water Bay, 14.  
 Worth, Lake, 8.  
 Worth, Lake, Inlet, tide gauge and bench marks, 93.
- Z.
- Zona, Fla., 46; evaporation, with table, 38, 39.